



Ordered By: \_\_\_\_\_

## Sales Sample Order Form

Customer Account No. \_\_\_\_\_ Customer Purchase Order No. \_\_\_\_\_ Sold To: Ship To: Ship Via: Best Way - Prepay and Add HSS-SK-MFQ-A Premium KD / Maintenance Free Quiet \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_\_ **HSS-HDC-A HDC Premier / HDC** \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_\_ HSS-HDV-A **Heavy-Duty Ventilated (HDV) KD** @ \$100.00 each = \$ \_\_\_\_\_ **HSS-Safety-View-A** Safety-View / Safety-View Plus KD \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_\_ **HSS-HYBRID-A** Metal / Wood Hybrid KD @ \$100.00 each = \$ HSS-H1001-A **Turn Handle Athletic / THA Elite** @ \$100.00 each = \$ \_\_\_\_\_ HSS-H1002/6/3-A Welded Unibody Athletic & Corridor \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_\_ HSS-H1004/5-A Welded Single-Point Athletic & Corridor \_\_ @ \$100.00 each = \$ \_\_\_\_\_ **HSS-CUB-A** Primary II/Backpack Cubbie \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_ R2SBS181244BNPLCFSGNROS **All-Wood Open-Front Sport** \_\_\_\_ @ \$100.00 each = \$ \_\_\_\_\_ **HDPE Plastic Aquamax** @ \$100.00 each = \$ \_\_\_\_\_ **HSS-Aquamax -A** Total = \$ \_\_\_\_\_

Date Ordered: \_\_\_\_\_






SIDE ONE


SIDE TWO

HALLOWELL SALE	S S41	APLE - STANDARI	O KD / MAINTENANCE FREE QUIET
COMPONENT	GAUGE	MATERIAL	REMARKS
SIDE ONE			
TOP DOOR	18	COLD ROLLED STEEL	3" LOUVERS
TOP DOOR HANDLE		ZINC PLATED C.R.S.	FRICTION CATCH FINGER PULL
TOP DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BOTTOM DOOR	16	COLD ROLLED STEEL	3" LOUVERS
BOTTOM DOOR HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)
BOTTOM DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
SIDE TWO			
DOOR	16	COLD ROLLED STEEL	PLAIN (TOP) / SECURITY PLUS (BOTTOM)
HANDLE		STAINLESS STEEL	SINGLE POINT (RECESSED DRAWN HANDLE)
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT
SIDES	24	COLD ROLLED STEEL	SOLID
воттом	24	COLD ROLLED STEEL	SOLID
HAT SHELF	24	COLD ROLLED STEEL	SOLID
TOP	16	COLD ROLLED STEEL	SOLID
FRAME	16	COLD ROLLED STEEL	ZOLID



Description:						
	STD KD / MAINT. FREE QUIET					
	SALES SAMPLE					
Drawn By:		Checked By:	Date:	Scale:		
JDF			11/12/07	None		
Acad Number:	HSS-SK-MFQ elevati	on	Sheet Of	Revision: 2		
Drawing Number:	HSS-	-SK-M	FQ			






SIDE ONE


SIDE TWO

HALLOWELL SALES SAMPLE - HDC PREMIER / HDC					
COMPONENT	GAUGE	MATERIAL	REMARKS		
SIDE ONE					
DOOR	14	COLD ROLLED STEEL	PLAIN		
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)		
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYP		
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT		
SIDE TWO					
DOOR	14	COLD ROLLED STEEL	3" LOUVERS		
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)		
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYP		
SIDES	24	COLD ROLLED STEEL	SOLID		
воттом	24	COLD ROLLED STEEL	SOLID		
HAT SHELF	24	COLD ROLLED STEEL	SOLID		
TOP	16	COLD ROLLED STEEL	SOLID		
FRAME	16	COLD ROLLED STEEL	SOLID		



Description:						
HD	' HDC PREMIER /HDC					
•	SALES SAMPLE					
Drawn By: JDF	Checked By:	Date: 08/24/0	Scale:			
Acad Number: HSS-HDC- ELEVAT	Sheet □f	Revision: 1				
Drawing Number:	ЛТН-22Н	`				






SIDE VIEW

FRONT VIEW


HALLOWELL SALES SAMPLE - HEAVY DUTY VENTILATED					
COMPONENT	GAUGE	MATERIAL	REMARKS		
TOP DOOR	14	COLD ROLLED STEEL	DIAMOND PERFORATED		
TOP DOOR HANDLE		ZINC PLATED C.R.S.	FRICTION CATCH FINGER PULL		
TOP DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
BOTTOM DOOR	14	COLD ROLLED STEEL	DIAM, PERF. (TOP) / SECURITY PLUS (BOTTOM)		
BOTTOM DOOR HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)		
BOTTOM DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
SIDES	16	COLD ROLLED STEEL	DIAMOND PERFORATED		
BACK	18	COLD ROLLED STEEL	SOLID		
воттом	16	COLD ROLLED STEEL	SOLID		
HAT SHELF	16	COLD ROLLED STEEL	SOLID		
TOP	16	COLD ROLLED STEEL	SOLID		
FRAME	16	COLD ROLLED STEEL	SOLID		



Description:						
	HEAVY DU	TY VENTILATE	.D			
	SALES SAMPLE					
Drawn By:		Checked By:	Date:	Scale:		
JDF			08/24/07	None		
Acad Number:	HSS-HDV- elevation		Sheet Of	Revision: 1		
Drawing Number:	HSS-	-HDV				









SIDE TWO

HALLOWELL SALES SAMPLE - SAFETY VIEW					
COMPONENT	REMARKS				
SIDE ONE					
DOOR	18	COLD ROLLED STEEL	PLAIN W/SAFTEY VIEW WINDOW		
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)		
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
SIDE TWO					
DOORS		POLYCARBONATE	CLEAR		
HANDLE		ZINC PLATED C.R.S.	FRICTION CATCH DOOR PULL		
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
SIDES	24	COLD ROLLED STEEL	SOLID		
ВОТТОМ	24	COLD ROLLED STEEL	SOLID		
HAT SHELF	24	COLD ROLLED STEEL	SOLID		
TOP	16	COLD ROLLED STEEL	SOLID		
FRAME	16	COLD ROLLED STEEL	SOLID		



Description:	•	FETY VIEW LES SAMPLE		
Drawn By: JDF		Checked By:	Date: 11 /12 /07	Scale: None
Acad Number:	HSS-SAFETY VIEW-	olovation.	Sheet Of	Revision: 2
			onoct or	TOTIOION: 2
Drawing Number:	HSS-S	AFETY	VIEW	






SIDE VIEW


FRONT VIEW

AMP SALES SAMPLE - HEAVY DUTY VENTILATED					
COMPONENT	GAUGE	MATERIAL	REMARKS		
DOOR		3/4" FURNITURE GRADE RED DAK PLYWOOD			
DOOR HANDLE			KEYED CAM LOCK		
DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
SIDES	24	COLD ROLLED STEEL	SOLID		
BACK	24	COLD ROLLED STEEL	SOLID		
BOTTOM	24	COLD ROLLED STEEL	SOLID		
HAT SHELF	24	COLD ROLLED STEEL	SOLID		
TOP	16	COLD ROLLED STEEL	SOLID		
FRAME	16	COLD ROLLED STEEL	SOLID		



Description:						
	HYBRID					
	SALES SAMPLE					
Drawn By: Checked By: Date: Sc						
JFA		09,	/26/11	NUNE		
Acad Number: HSS-HYBRID-ELEVATION			Πf	Revision: 1		
Drawing Number: HSS-HYBRID						






SIDE ONE

SIDE TWO

HALLOWELL SALES SAMPLE - WELDED TURN-HANDLE ATHLETIC					
COMPONENT	GAUGE	MATERIAL	REMARKS		
SIDE ONE					
DOOR	14	COLD ROLLED STEEL	DIAM PERF (TOP) / SECURITY PLUS (BOTTOM)		
HANDLE		COLD ROLLED STEEL	TURN HANDLE		
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT		
SIDE TWO					
DOOR	14	COLD ROLLED STEEL	DIAM PERF (TOP) / SECURITY PLUS (BOTTOM)		
HANDLE		COLD ROLLED STEEL	TURN HANDLE		
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE		
SIDES	16	COLD ROLLED STEEL	DIAMOND PERFORATED		
воттом	16	COLD ROLLED STEEL	SOLID		
HAT SHELF	16	COLD ROLLED STEEL	SOLID		
TOP	16	COLD ROLLED STEEL	SOLID		
FRAME	16	COLD ROLLED STEEL	SOLID		




Description:				
	WELDED TU	JRN-HANDLE	ATHLETIC	
	SAI	ES SAMPLE		
Drawn By:		Checked By:	Date:	Scale:
JDF			08/24/07	None
Acad Number:	HSS-1001-elevation		Sheet Of	Revision: 1
Drawing Number:	HSS-	-H1001		




HALLOWELL SALES SAMPLE - WELDED ATHLETIC AND CORRIDOR						
COMPONENT	GAUGE	MATERIAL	REMARKS			
SIDE ONE						
TOP DOOR	14	COLD ROLLED STEEL	DIAMOND PERFORATED (SIDE HINGED)			
TOP DOOR HANDLE		ZINC PLATED C.R.S.	FRICTION CATCH DOOR PULL			
TOP DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE			
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT (24" HIGH DOOR ONLY)			
BOTTOM DOOR	14	COLD ROLLED STEEL	DIAM PERF (TOP) / SECURITY PLUS (BOTTOM)			
BOTTOM DOOR HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)			
BOTTOM DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE			
STIFFENER	ENER 18 COLD ROLLED STEEL		FULL HEIGHT			
SIDE TWO						
DOOR	14	COLD ROLLED STEEL	LOUVERED (TOP) / SECURITY PLUS (BOTTOM)			
DOOR HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN HANDLE)			
DOOR HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE			
SOLID SIDE	16	COLD ROLLED STEEL	SOLID			
DP SIDE	16	COLD ROLLED STEEL	DIAMOND PERFORATED			
ВОТТОМ	16	COLD ROLLED STEEL	SOLID			
HAT SHELF	16	COLD ROLLED STEEL	SOLID			
TOP	16	COLD ROLLED STEEL	SOLID			
FRAME	16	COLD ROLLED STEEL	SOLID			



Description:				
	WELDED UNIBODY		CORRIDOR	
	SALES	SAMPLE		
Drawn By:		Checked By:	Date:	Scale:
JDF			11/12/07	None
Acad Number:	HSS-1002/1006/100	3 elevation	Sheet Of	Revision: 3
Drawing Number:	HSS-	-1002/	6/3	






HALLOELL SALES SAMPLE - WELDED SINGLE-POINT ATHLETIC & CORRIDOR							
COMPONENT	GAUGE	MATERIAL	REMARKS				
SIDE ONE							
DOOR	14	COLD ROLLED STEEL	DIAM. PERF. (TOP) / SECURITY PLUS (BOTTOM)				
HANDLE		STAINLESS STEEL	SINGLE POINT (RECESSED DRAWN HANDLE)				
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE				
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT				
SIDE TWO							
DOOR	14	COLD ROLLED STEEL	LOUVERED (TOP) / PLAIN (BOTTOM)				
HANDLE		STAINLESS STEEL	SINGLE POINT (RECESSED DRAWN HANDLE)				
HINGE 16 COLD ROLLED STEEL		COLD ROLLED STEEL	CONTINUOUS PIANO TYPE				
STIFFENER	18	COLD ROLLED STEEL	FULL HEIGHT				
SIDE	16	COLD ROLLED STEEL	DIAMOND PERFORATED				
SIDE	16	COLD ROLLED STEEL	SOLID				
BACK	18	COLD ROLLED STEEL	SOLID				
ВПТПМ	16	COLD ROLLED STEEL	SOLID				
HAT SHELF 16 COLD F		COLD ROLLED STEEL	SOLID				
TOP	16	COLD ROLLED STEEL	SOLID				
FRAME	16	COLD ROLLED STEEL	SOLID				




Description:						
	WELDED SINGLE-POINT ATHLETIC & CORRIDOR					
	SAI	LES SAMPLE				
Drawn By:		Checked By:	Date:	Scale:		
JDF			11/12/07	None		
Acad Number:	HSS-1004 1005- ele	evation	Sheet Of	Revision: 2		
Drawing Number:	HSS-	-H1004	-/1005			



HALLOWELL SALES SAMPLE - WELDED CUBBIE						
COMPONENT	GAUGE	MATERIAL	REMARKS			
UNIT SIDES	16	COLD ROLLED STEEL	SOLID			
BACK	18	COLD ROLLED STEEL	SOLID			
ВОТТОМ	16	GALVANNEALED C.R.S.	SOLID			
INTERMEDIATE SIDES	18	COLD ROLLED STEEL	SOLID - BEADED			
BACKPACK CENTER PARTITION	18	COLD ROLLED STEEL	SOLID - BEADED			
SHELVES	18	COLD ROLLED STEEL	SOLID - BEADED			
TOP	16	COLD ROLLED STEEL	SOLID			
FRAME	16	COLD ROLLED STEEL	UNI-BODY			




I December 1				
Description:	01	IDDIE I GOVED		
	Cl	JBBIE LOCKER		
	S	ALES SAMPLE		
Drawn By:		Checked By:	Date:	Scale:
JDF			11/09/17	None
Acad Number:	HSS-CUB		Sheet Of	Revision: 1
Drawing Number:	HSS	-CUB		





ROW CHECKED BY	6/12/2020 DATE	RECRUITER 2 SET BACK SIDE SALES SAMPLE LOCKER				
APPROVED BY	DATE	SCALE	SHEET	PART NUMBER.	DRAWING NO.	REV.
					SB4185	



HALLOWELL SALES SAMPLE - AQUAMAX PLASTIC LOCKER						
COMPONENT	THICKNESS	MATERIAL	REMARKS			
DOOR	1/2"	HIGH-DENSITY POLYETHYLENE	SOLID			
HINGE		ALUMINUM	SOLID			
HANDLE		HIGH-DENSITY POLYETHYLENE	INJECTION MOLDED			
SIDES	3/8*	HIGH-DENSITY POLYETHYLENE	SOLID			
BACKS	3/8*	HIGH-DENSITY POLYETHYLENE	SOLID			
TOP	3/8*	HIGH-DENSITY POLYETHYLENE	SOLID			
BOTTOM	3/8"	HIGH-DENSITY POLYETHYLENE	SOLID			



Description:	AQUAMAX PLASTIC LOCKER SALES SAMPLE					
Drawn By:   Checked By:   Date:   Scale:						
Acad Number:	Acad Number: HSS-AQUA-elevation Sheet Of Revision:					
Drawing Number:	HSS-AQUAMAX					