



HALLOWELL "GALVANITE" K.D. SINGLE TIER LOCKER (PRODUCT No. U1228-1G) (1-WIDE)



SIDE VIEW




FRONT VIEW


HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION			
COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER  
 DOORS 48" AND OVER, TWO POINT RECESSED ON  
 ON LOCKER DOORS 36" TO 20". AUTOMATIC  
 LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL  
 USE ONLY**  
 SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT  
 SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.  
 TOLERANCES UNLESS SPECIFIED:  
 FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER  
 Customer Order Number: PO#  
 Description: JOB\_NAME LOCATION

Drawn By: DRAFTER  
 Checked By:  
 Date: 07.18.2012  
 Scale: NONE  
 Acad Number: U1228-1G  
 Drawing Number: FOLDER\_NUMBER  
 SHEET OF Revision:

HALLOWELL "GALVANITE" K.D. DOUBLE TIER LOCKER (PRODUCT No. U1228-2G) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION


COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER  
 DOORS 48" AND OVER, TWO POINT RECESSED ON  
 ON LOCKER DOORS 36" TO 20". AUTOMATIC  
 LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL  
 USE ONLY**  
 SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT  
 SCALE: NONE



HOOK CONFIGURATION




THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.  
 TOLERANCES UNLESS SPECIFIED:  
 FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°


Customer: CUSTOMER  
 Customer Order Number: PO#  
 Description: JOB\_NAME LOCATION

Drawn By: DRAFTER  
 Checked By:  
 Date: 07.18.2012  
 Scale: NONE  
 Acad Number: U1228-2G  
 Drawing Number: FOLDER\_NUMBER  
 SHEET OF Revision:

HALLOWELL "GALVANITE" K.D. TRIPLE TIER LOCKER (PRODUCT No. U1228-3G) (1-WIDE)



SIDE VIEW




FRONT VIEW

HALLOWELL GALVANITE "KD" LOCKER SPECIFICATION

COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	16	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		STAINLESS STEEL	LIFT (RECESSED DRAWN PAN)
HINGES	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT


LATCHING: (WARDROBE) THREE POINT RECESSED ON LOCKER  
DOORS 48" AND OVER, TWO POINT RECESSED ON  
ON LOCKER DOORS 36" TO 20". AUTOMATIC  
LOCKING DEVICE WITH LIFT-TYPE PADLOCK HASP.

**FOR SUBMITTAL  
USE ONLY**  
SUBJECT TO APPROVAL



STARTER / ADD-ON LAYOUT  
SCALE: NONE

LOCKERS 12" OR WIDER  
WITH 20" OR 24"  
OPENING HEIGHT



(1) DOUBLE CEILING HOOK

HOOK CONFIGURATION



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:  
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER

Customer Order Number: PO#

Description: JOB\_NAME  
LOCATION

Drawn By: DRAFTER

Acad Number: U1228-3G

Drawing Number:

Checked By:


Date: 07.18.2012

Scale: NONE

Sheet OF Revision:

FOLDER\_NUMBER

HALLOWELL "GALVANITE" K.D. SIX TIER BOX LOCKER (PRODUCT No. U1228-6) (1-WIDE)



SIDE VIEW


FRONT VIEW

HALLOWELL GALVANITE "KD" BOX LOCKER SPECIFICATION

COMPONENT	GAUGE	MATERIAL	REMARKS
DOORS	18	GALVANNEAL C. R. S.	3" LOUVERS
FRAMES	16	GALVANNEAL C. R. S.	SOLID
TOPS	24	GALVANNEAL C. R. S.	SOLID
BOTTOMS	24	GALVANNEAL C. R. S.	SOLID
SHELVES	24	GALVANNEAL C. R. S.	SOLID
SIDES	24	GALVANNEAL C. R. S.	SOLID
BACKS	24	GALVANNEAL C. R. S.	SOLID
HANDLE		ZINC PLATED C.R.S.	FRICITION CATCH DOOR PULL
HINGE	16	COLD ROLLED STEEL	CONTINUOUS PIANO TYPE
BODY COMPONENT COLOR			729 PARCHMENT

LATCHING: (BOX DOOR) SINGLE POINT FRICTION  
CATCH WITH DOOR PULL. DOOR WILL  
ACCEPT BUILT-IN LOCK OR PADLOCK.

**FOR SUBMITTAL  
USE ONLY  
SUBJECT TO APPROVAL**



STARTER / ADD-ON LAYOUT

SCALE: NONE



THIS DRAWING AND THE INFORMATION ON IT IS THE CONFIDENTIAL PROPERTY OF HALLOWELL, INC. AND SHALL NOT BE COPIED OR DISCLOSED TO OTHERS WITHOUT WRITTEN PERMISSION. ONLY HALLOWELL, INC. RESERVES THE RIGHT TO ALTER ANY DESIGN. ANY UNAUTHORIZED MODIFICATIONS RELEASES HALLOWELL, INC. FROM ALL LIABILITIES.

TOLERANCES UNLESS SPECIFIED:  
FRACTIONS: ±1/32 DECIMALS: ±.010 DEGREES: ±1°

Customer: CUSTOMER

Customer Order Number: PO#

Description: JOB\_NAME  
LOCATION

Drawn By: DRAFTER

Checked By:

Date: 07.18.2012

Scale: NONE

Acad Number: U1228-6G

Sheet OF Revision:

Drawing Number: FOLDER\_NUMBER